ZITHA TECH SPECIALTY CABLES (Pty) Ltd

288 Optical Distribution Box Construction



Overview

The OHC 288 houses 48 feed/pass-thru adapters and 288 distribution adapters for fiber distribution to high density buildings with many potential subscribers. OHC are constructed from powder-coated aluminum that is both durable and lightweight. The unit can be quickly installed by a. The precautionary terms used by Corning Cable Systems in its standard recommended procedures conform to the guidelines expressed in the American National Standards Institute document (ANSI Z235) for hazard alert messages. Designed to accommodate up to 288 fibers, the FDC is built to withstand harsh outdoor. The outdoor Fiber Distribution Hub (FDH) cabinet for up to 288 end users is designed to handle fiber optic terminations and passive optical splitters in PON FTTx networks, but can also be used for Point to Point (P2P) applications or combinations of the both. The FDH is used as a demarcation point. ment is intended as a guide only. Whilst the information it contains is believed to be correct, OPTOMER can take no responsibility for actions taken based on the infor ation contained in this document.



© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Article Content

288-fiber Capacity Fiber Distribution Hub

The 144/288-fiber capacity FDH may be used in an outdoor environment, either mounted on a pad or a pole. The cabinet design allows front access to the fibers, connectors, and coupler modules for

OHC3-288 Optical Hub Cabinet

The OHC 288 houses 48 feed/pass-thru adapters and 288 distribution adapters for fiber distribution to high density buildings with many potential subscribers. OHC

WALL MOUNT FIBER OPTIC DISTRIBUTION BOX

The WODF has been constructed with a cold-roll steel box and has diligent excellent fibre management features to accommodate extra lengths of loose/micro loose tubes and 250/900-mi-cron fibres. The

288F Outdoor Fiber Distribution Cabinet

amless and reliable network operations. Designed to accommodate up to 288 fibers, the FDC is built to withstand harsh outdoor conditions, ofering a robust and weather

Fiber Distribution Hub, 288 Outdoor – 2/NBD 116 200

The product is equipped with a connector panel for up to 288 end-user connections and up to 48 feeder cable terminations. There are 14 positions for connector panel trays that also accommodate fiber

Fibre optic distribution box PSPE

wall-mounted on the lowest level of a building terminates cables coming to the building from Telecommunication Central Ofice, vertical cables and enables installation of optical splitters

Optical Hub Cabinet

Family Units (SFU). The OHC 288 houses 48 feed/pass-thru adapters and 288 distribution adapters for fiber distribution to high density buildings with many po. ential subscribers. OHC are constructed from

Datasheet Fiber Distribution Hub FDH 288 SIS

Optical distribution box/pillar for PON type optical networks. It allows connection of up to 288 participants in 24 modules with 12 SC adapters. For the backbone cable, there are two additional modules at the

288 cores outdoor fiber distribution cabinet

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Telhua''s 288-core outdoor fiber distribution cabinet features universal rack mount brackets for easy 19/23" rack integration. IP65-rated, high-density solution for reliable, scalable network deployments.

Mini ODF

It is designed to install in building entrance or data centers and Floor Telecom facilities / closets for cross-connection between the distribution cables and drop cables.

288 Fibers ODF 19" Floor Mount Distribution Box FITB-ODF-288-FM

Buy 288 Fibers ODF 19" Rack Mount Distribution Box with Fiberinthebox model Box FS-ODF-288-FM from direct fiber distribution frames manufacturer with wholesale price online.

FTTH outdoor 288 core optical fiber cabinet SMC

FTTH outdoor 288 core optical fiber cabinet SMC Optical Fiber Distribution cabinet 288 ODF cabinet Waterproof IP65 pport SC/FC/LC/ST, plug-in/box splitters.

FTTH Outdoor IP68 FTTH 288 Core 12*24 Optical

FTTH Outdoor IP68 FTTH 288 Core 12*24 Optical Access Distribution Box Fiber Optic Terminal Box, Find Details and Price about Terminal Box and Distribution

288 Cores IP68 Fiber Optic Distribution Box-ZC-FD200

288 Cores IP68 Fiber Optic Distribution Box-ZC-FD200-H(7231257), Fiber Optical Terminal Box China Manufacturing Expert Manufacturer Wholesaler Support

High Density Optical Distribution Frame | ODF | GPX82

LongXing optical fiber distribution frame GPX82-9-2 is made of top quality steel treated with galvanizing, oxidation and electrostatic plastic spraying. The frame

Mini ODF

• Compact Design: The mini ODF (Optical Distribution Frame) is designed to be compact and wall-mountable, saving space and allowing for easy installation in various locations. • High Fiber

FDT 288 cores optic distribution cabinet FTTH junction box with ...

FDT 288 cores optic distribution cabinet FTTH junction box with Insertion Module PLC Splitter. Ideal for FTTX networks. Wall/Pole Mounted. Durable & Efficient.| Alibaba

288 Cores Outdoor Optical Fiber Distribution Cabinet with Box Splitter

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Product Description FSP-FDC-S3-288A Fiber Distribution Cabinet is used for connecting, allocation and dispatching of communication optical cables to each optical distribution node, providing safe, reliable

Contact Us

Continue your research online:

Website: https://zithatech.co.za
Technical inquiry: https://zithatech.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved