ZITHA TECH SPECIALTY CABLES (Pty) Ltd

Cable tray 45-degree fittings



Overview

I-BEAM Ladder Horizontal Elbows 45° [45H] Shop Cope I-BEAM ladder tray 45 degree bend for reliable NEMA cable tray installations. 45° Horizontal Cable Tray.

Key Takeaways

Cable trays can be installed at a 45-degree angle using proper bending techniques, support spacing, and adherence to safety and design standards.Planning and Preparation

Before installation, review the Bill of Quantities (BOQ) to ensure all tray sections, fittings, and supports meet the project's size and weight requirements. Calculate the total cable weight per meter to select the correct tray thickness and support brackets. Supports are typically spaced 1.5 to 3 meters apart, with shorter spacing providing greater rigidity and longer spacing reducing material costs but requiring stronger trays . Inspect the site for accessibility, safety, and alignment with approved drawings .

Creating a 45-Degree Bend

To form a flat 45-degree bend in a cable tray:

• Identify the centerline of the tray where the bend will occur.

• Measure and mark the points on either side of the centerline to determine the section of the lip to be removed.

• File or cut the lip along the marked lines.

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

• Cut down the centerline and fold the tray so the cuts overlap, forming the 45-degree angle.

• For precision, take the desired angle (45°) and divide it by two (22.5°) to mark the bend accurately on each side .

Installation Steps

• Obtain approval for drawings and materials before starting.

• Install safety barriers and warning signs around the work area.

• Coordinate with other trades to prevent interference.

• Inspect all trays, conduits, and accessories for damage before installation.

• Mount the trays according to the approved layout, ensuring proper alignment and support spacing.

• Secure the trays with brackets, hangers, or threaded rods, maintaining the maximum load capacity per hanger (typically 318–340 kg) and support spacing (up to 3.6 m for ladder trays), .

• Label each tray section by feeder name and branch number for easy identification and future maintenance .

Safety and Compliance

• Follow NEMA, IEC, or local electrical codes for tray installation.

• Ensure trays are not overloaded to prevent sagging or bending.

• Avoid sharp edges that could damage cables.

• Use proper lifting techniques when handling long or heavy tray sections to prevent injury .

Summary

Installing cable trays at a 45-degree angle requires careful planning, precise cutting and bending, proper support spacing, and adherence to safety standards. By following these steps, the tray system will remain robust, safe, and accessible for future cable additions or modifications .

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Article Content

I-BEAM Ladder Horizontal Elbows 45°

Shop Cope I-BEAM ladder tray 45 degree bend for reliable NEMA cable tray installations.

45° Horizontal Cable Tray Bend :: PLATT ELECTRIC SUPPLY

CleanTray 45-Degree Elbows for 45-degree turns in applications that require frequent washdown. This 45-Deg Elbow Top Cover

B-Line (Eaton) 6A18-45HB24 Cable Tray Fitting, Aluminum, 45°

Shop Cable Tray Fitting, Aluminum, 45° Horizontal Bend, 24 In Bend Radius, 6 In. H, 1 Pair (Splice Plate) Pair By B-Line (Eaton)

Fiberglass Cable Tray Horizontal Elbows 45°

Compact fiberglass 45 degree horizontal bend fitting for Cope cable tray systems—pre-drilled for easy installation.

45° Horizontal Elbow | Cable Tray Systems | PUPCO

Discover our 45° Horizontal Elbow for cable tray systems. Contact us today for availabilities and receive a

Cable Tray

Cable Tray Fitting, 90° Junction Kit. Material: Carbon Steel. Finish: Electroplated Zinc. Includes: (1) Hardware for (1) Tee (2) 90°

Series 2-5, Cable Tray Fitting, Aluminum, 45 Degree Angle, Vertical ...

By B-Line (Eaton) (4A0645VO24) At Graybar, Your Trusted Resource For Cable Tray Fittings And Other B-Line (Eaton) Products.

45° Horizontal Bends

This bend provides a 45° change of direction when connecting straight cable tray sections, maintaining continuous cable support and

45° Horizontal Bends

This bend provides a 45° change of direction when connecting straight cable tray sections, maintaining

Itray Aluminum Ladder Tray Elbow Horizontal Fittings

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Horizontal elbows provide directional transitions in cable tray systems, with 4"–7" rail heights, 6"–36" widths, and 12"–36" radii.

Aluminum Channel Horizontal Elbows 45°

45 degree aluminum channel bend fitting for cable trays, supports smooth cable routing and flexible

CABLE TRAY FITTING

Hi Can someone help me how can I connect my cable trays in 45 degree angle. Because REVIT says that "The routing solution

Cable Tray Bend Radius Calculator | KWCalc

Cable Tray Bend Radius Calculator Calculate the minimum cable tray bend radius required for LV, MV, HV, fiber optic, and control

Flat elbow 45° FTE80 R420

Flat elbow 45° FTE80 R420 45° flat elbow. Available for purchase in a full composite system. Customized fitting dimensions are

45° Horizontal Elbow | Cable Tray Systems | PUPCO

The 45° Horizontal Elbow boasts a horizontal bend that grants the flexibility for a 45° cable tray to navigate left or right. Moreover,

B-Line (Eaton) 6A18-45HB24 Cable Tray Fitting, Aluminum, 45°

Shop Cable Tray Fitting, Aluminum, 45° Horizontal Bend, 24 In Bend Radius, 6 In. H, 1 Pair (Splice Plate) Pair By B-Line (Eaton)

Cable Tray 45 Degree Offset Formula | How to Make 45 Degree

Yahan hum Janenge electrical cable tray me 45 digree Offset kaise banaye Hum is

B-Line (Eaton) 6A-24-45V024 Cable Tray Fitting, 45° Vertical Outside ...

Shop Cable Tray Fitting, 45° Vertical Outside Bend, Aluminum, 9-1/8 X 6 X 22-1/16 In, 24 In Bend Radius, 6 In. H, 22-1/16 In L By B

45° Horizontal Bends

45° Horizontal Bends This bend provides a 45° change of direction when connecting straight cable tray

Cable Tray

Cable Tray Fitting, 90° Junction Kit. Material: Carbon Steel. Finish: Electroplated Zinc. Includes: (1) Hardware for (1) Tee (2) 90° Bends.

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Cable Tray Fitting creation (Elbow Bend)

I''ve taken a look at this file, but it doesn''t seem to work. Here is the simple solution Create two type : 90 elblow and 45

Fitting Radiuses

Fitting Radiuses Make it easy by choosing a radius for your fittings to work around your project design, not the other way around A

Fiberglass cable tray 45 degree horizontal bend assembly

Fiberglass cable tray 45 degree horizontal bend assembly submittal

Cable Tray | Conduit, Tray, Fittings & Accessories | Westburne

AH1412L123 LADDER TRAY ALUM Product Code: THSAH1412L123 Manufacturer Number: AH1412L12-3 LN Add to Cart

Stainless Steel Enclosures and Cable Management | Electrix

We would like to show you a description here but the site won''t allow us.

Cable Ladder Trays

Cable ladder trays install as systems, with straight sections, fittings, and accessories connecting to form a pathway. Straight Section

Cablofil (Legrand) LD-4A-45HB24-24 Horizontal Cable Tray Elbow ...

Shop Horizontal Cable Tray Elbow, Aluminum, 45°, 24 In. Bend Radius, Ventilated Ladder, 54 L X 4 H X 24 W In. By Cablofil

SSF430SVO4548 | Bend for cable tray | T&B Cable Tray | Wire & Cable ...

Stainless steel 316 fitting 4 inches side rail height 30 inches width solid trough vertical outside bend 45 degree 48 inches radius

Cable Tray Fittings & Accessories

Cable Tray Bend 30 Flange Cover 18 Closure End Plate 14 Horizontal Tee 13 Cover 10 Divider 9 Stand-Off Bracket 7 Cross 6

Aluminum Channel Horizontal Elbows 45°

45 degree aluminum channel bend fitting for cable trays, supports smooth cable routing and flexible

CABLE TRAY FITTING

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Hi Can someone help me how can I connect my cable trays in 45 degree angle. Because REVIT says that "The routing solution

Cable Tray Bend Radius Calculator | KWCalc

Cable Tray Bend Radius Calculator Calculate the minimum cable tray bend radius required for LV, MV, HV, fiber optic, and control

Flat elbow 45° FTE80 R420

Flat elbow 45° FTE80 R420 45° flat elbow. Available for purchase in a full composite system. Customized fitting dimensions are

45° Horizontal Elbow | Cable Tray Systems | PUPCO

The 45° Horizontal Elbow boasts a horizontal bend that grants the flexibility for a 45° cable tray to navigate left or right. Moreover,

B-Line (Eaton) 6A18-45HB24 Cable Tray Fitting, Aluminum, 45°

Shop Cable Tray Fitting, Aluminum, 45° Horizontal Bend, 24 In Bend Radius, 6 In. H, 1 Pair (Splice Plate) Pair By B-Line (Eaton)

I-BEAM Ladder Horizontal Elbows 45°

Shop Cope I-BEAM ladder tray 45 degree bend for reliable NEMA cable tray installations.

45° Horizontal Cable Tray Bend :: PLATT ELECTRIC SUPPLY

CleanTray 45-Degree Elbows for 45-degree turns in applications that require frequent washdown. This 45-Deg Elbow Top Cover

B-Line (Eaton) 6A18-45HB24 Cable Tray Fitting, Aluminum, 45°

Shop Cable Tray Fitting, Aluminum, 45° Horizontal Bend, 24 In Bend Radius, 6 In. H, 1 Pair (Splice Plate) Pair By B-Line (Eaton)

Fiberglass Cable Tray Horizontal Elbows 45°

Compact fiberglass 45 degree horizontal bend fitting for Cope cable tray systems—pre-drilled for easy installation.

45° Horizontal Elbow | Cable Tray Systems | PUPCO

Discover our 45° Horizontal Elbow for cable tray systems. Contact us today for availabilities and receive a

Cable Tray

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Cable Tray Fitting, 90° Junction Kit. Material: Carbon Steel. Finish: Electroplated Zinc. Includes: (1) Hardware for (1) Tee (2) 90°

Series 2-5, Cable Tray Fitting, Aluminum, 45 Degree Angle, Vertical ...

By B-Line (Eaton) (4A0645VO24) At Graybar, Your Trusted Resource For Cable Tray Fittings And Other B-Line (Eaton) Products.

45° Horizontal Bends

This bend provides a 45° change of direction when connecting straight cable tray sections, maintaining continuous cable support and

45° Horizontal Bends

This bend provides a 45° change of direction when connecting straight cable tray sections, maintaining

Itray Aluminum Ladder Tray Elbow Horizontal Fittings

Horizontal elbows provide directional transitions in cable tray systems, with 4"–7" rail heights, 6"–36" widths, and 12"–36" radii.

I-BEAM Ladder Horizontal Elbows 45°

Shop Cope I-BEAM ladder tray 45 degree bend for reliable NEMA cable tray installations.

45° Horizontal Cable Tray Bend :: PLATT ELECTRIC SUPPLY

CleanTray 45-Degree Elbows for 45-degree turns in applications that require frequent washdown. This 45-Deg Elbow Top Cover

B-Line (Eaton) 6A18-45HB24 Cable Tray Fitting, Aluminum, 45°

Shop Cable Tray Fitting, Aluminum, 45° Horizontal Bend, 24 In Bend Radius, 6 In. H, 1 Pair (Splice Plate) Pair By B-Line (Eaton)

Fiberglass Cable Tray Horizontal Elbows 45°

Compact fiberglass 45 degree horizontal bend fitting for Cope cable tray systems—pre-drilled for easy installation.

45° Horizontal Elbow | Cable Tray Systems | PUPCO

Discover our 45° Horizontal Elbow for cable tray systems. Contact us today for availabilities and receive a

Cable Tray

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Cable Tray Fitting, 90° Junction Kit. Material: Carbon Steel. Finish: Electroplated Zinc. Includes: (1) Hardware for (1) Tee (2) 90°

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://zithatech.co.za
Technical inquiry: https://zithatech.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved