ZITHA TECH SPECIALTY CABLES (Pty) Ltd

Heating cable distribution box and temperature control box



Overview

The distribution box, as the "control core" of the electric heating cable system, enables zoned temperature control and data recording, providing early warning of freezing and blockage risks, and ensuring stable heating of long-distance pipelines. Zoned temperature control adapts to the temperature. Introduction of distribution box for electric heating system?

Electric heat tracing is a heat tracing product mainly used in pipeline insulation, antifreeze, anti-condensation, etc. Let's explore why these seemingly unassuming devices are crucial for keeping your operations running smoothly when winter weather arrives. They are equipped with a polyamide cable gland for the power supply connection. Practical: Their flat design makes them easy to install, and their steel construction makes them.



© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Article Content

The function of electric heat tracing cable distribution box

The distribution box, as the "control core" of the electric heating cable system, enables zoned temperature control and data recording, providing early warning of freezing and blockage

Selection and application of electric heating cable distribution box

During the selection stage, engineers selected the appropriate distribution box model based on the pipeline length, heating cable power and ambient temperature changes, and equipped it with an

How to Install a Cable Distribution Box Safely and

Understanding Cable Distribution Boxes A cable distribution box is an electrical device used to collect, distribute, and protect electrical power. It is

ATEX junction box for connection of 1 heating cable

ATEX and IECEx certified enclosure for the power supply of 1 self-regulating heating cable in hazardous areas. The electrical connection is remote, without thermal insulation. The IP66 sealed enclosure is

Junction Boxes for Self-Regulating Heating Cables

Application Areas The box allows connection of up to three self-regulating electric heating cables to the power cable and connection of up to three cables for branching.

Robust self-regulating enclosure heaters for hazardous areas

The heaters are available with several different connection variants: With a connection cable, with a junction box for connecting to the power supply or with a junction box and temperature control

Heat Cable

Programmable to maintain temperatures of 425°F (218°C), can be used with voltages from 100 to 277 Vac, and is capable of switching current up to 30 Amps. The kit contains all the necessary materials

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Contact Us

Continue your research online:

Website: https://zithatech.co.za
Technical inquiry: https://zithatech.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved