
ZITHA TECH SPECIALTY CABLES (Pty) Ltd

High Temperature Fiber Collimator



Overview

High temperature pigtailed fiber collimators can operate from -40℃ to +220℃ with special design, technology and materials. Each collimator must be tested for 48h at 220℃ before sending to customers, which ensures the reliability of the device working in a high temperature. Video 1. 1 This animation provides an introduction to the mechanism of the FiberPort and shows how the FiberPort can be used as a collimator. For more information, please see the Alignment Procedure tab. As for the characteristics of MEISU's high-temperature fiber collimator and focuser, it is 1000℃ resistable and extremely suitable for high-temperature. Agiltron's 1kW (CW) Fiber Collimators incorporates advanced technologies of direct fusion to a large beam expanding end cap ensuring safe power density, and a mode stripper that prevents burning the buffer/jacket by removing unwanted back-reflection radiation.

Article Content

HT (1000℃) High Temperature Fiber Optic Collimator

MEISU offers high-temperature collimator operating up to 700℃ and 1000℃, which allows its usage in high-temperature components and some special fiber sensing

High Power Fiber Collimator Long Distance to

Agiltron''s 1kW (CW) Fiber Collimators incorporates advanced technologies of direct fusion to a large beam expanding end cap ensuring safe power density, and a

High-Temp Fiber Collimator | 1000℃ Heat-Resistant Optical

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Whether you need standard collimators for industrial monitoring or custom solutions for aerospace testing, Ultraopto''s High-Temp Fiber Collimators deliver exceptional value and reliability.

Fiber Collimator, Fiber-Optic Collimation and Focusing

These fiber collimators meet most demands with good performance over a wide temperature range. They feature epoxy-free in the light path, low loss, ultra-high

1550nm High Temperature Fiber Collimator, MM, Bandwidth ±20nm

The high-temperature fiber collimator uses high-temperature resistant optical fiber, high-temperature resistant manufacturing process and materials, which can meet the application environment of

High Temperature Fiber Collimator / Fiberwe

High Temperature Fiber Collimator uses high-temperature optical fiber, materials, and production processes. This product can meet the application environments

High Temp Fiber Collimators

Fiber Collimators Clean Gaussian beam, no ring, no distortion < 1/10-wave Perfect collimation with negligible beam divergence Radiation resistant component

High Temperature Pigtailed Fiber Collimators

High temperature pigtailed fiber collimators can operate from -40℃ to +220℃ with special design, technology and materials. Each collimator must be tested for 48h

High Power Fiber Collimator — High-Performance Optical Solution

Maintains stable optical performance even under high-temperature or high-humidity conditions. Optional integrated heat-sinking design for continuous high-power operation.

WaveSource Photonics, Inc.

We provide a full family of Gaussian beam fiber-optic collimators for coupling light into and out of fibers. Through detailed design considerations and proprietary

Fiber Optical Collimators Focusers

Precision Micro-Optics provides a portfolio of fiber collimators and focusers featuring low coupling loss, low back reflection, wide wavelength and beam diameter ranges, and epoxy free for high power

Fiber Collimator, Fiber-Optic Collimation and Focusing

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

LFIBER offers high-quality fiber collimators with a variety of wavelengths, including 450 nm, 460 nm, 630 nm, 632 nm, 650 nm, 780 nm, 850 nm, 980 nm, 1064 nm,

Datasheet

With more than 20 years of experience, we employ proprietary fiber-end lensing, precision V-groove assemblies, and custom-built metrology tools to manufacture high-performance custom fiber

Fiber Collimator

Fiber Collimator Fiber collimators are used to couple light into and out of optical fibers. The coupling units developed by Laser Components for the UV-NIR and CO 2 wavelengths can also be used in

Fiber Optic Collimators / Focusers — Brimrose Corp.

Brimrose offers a complete line of high performance collimators and focusers designed to collimate or focus light exiting from a fiber to a specified beam

High Power Fiber Collimator / Fiberwe Technologies

High Power Fiber Collimator is designed for high power collimating applications. The product can work with an optical power (CW) as high as 5W, 10W, 20W, 30W,

High Power Fiber Collimator

Product Description Agiltron''s 1KW (CW) Fiber Collimators incorporates advanced technologies of direct fusion to a large beam expanding end cap safe power density, and a mode stripper that prevents the

Study on optical coupling characteristics of a high-radial-tolerance ...

Abstract In this paper, a high-radial-tolerance fiber collimator (HRTFC) consisting of beam expanding fiber (BEF) and thick-lens (T-lens) is designed. The HRTFC uses BEF to reduce coupling

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Contact Us

Continue your research online:

Website: https://zithatech.co.za
Technical inquiry: https://zithatech.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved