ZITHA TECH SPECIALTY CABLES (Pty) Ltd

High Temperature Resistance Selection Guide for Data Center Interconnect-Grade QSFP28 Optical Modules



Overview

This guide provides a systematic selection process to help you choose the right QSFP28 module every time. You will learn how to verify form factor compatibility, match fiber and distance requirements, validate switch compatibility, consider thermal constraints, and. Selecting the wrong 100G optical module is a silent killer of data center ROI, leading to cascading failures in port density, thermal headroom, and cabling lifecycle. Technically speaking, while all three deliver 100Gbps, their underlying physical layers—ranging from 850nm parallel VCSELs to 1310nm. This guide provides the definitive roadmap for selecting, deploying, and troubleshooting QSFP28 transceivers while bypassing the painful trial-and-error phase. Below, you will find comprehensive module comparisons, realistic market pricing, and precise vendor compatibility protocols to ensure a. When you pick a 100G QSFP28 transceiver, think about what your network needs. Choosing QSFP28 optical transceivers that fit your system helps. In March 2025, her team ordered 500 QSFP28 SR4 transceivers for a new data center build in Frankfurt. The modules arrived on time, passed visual inspection, and seated perfectly in the switch ports. It was only then that they discovered the cabling contractor had installed OS2 single-mode fiber. The Cisco 100GBASE Quad Small Form-Factor Pluggable (QSFP) portfolio offers customers a wide variety of high-density and low-power 100 Gigabit Ethernet connectivity options for data center, high-performance computing networks, enterprise core and distribution layers, and service provider. An engineer-focused, “just tell me what to choose” guide to transceiver selection with architecture, power budget, compatibility, and upgrade plan — designed for 25G/100G today and 400G/800G tomorrow. 25G is the new 10G; 100G (QSFP28) is the workhorse; design for migration plans to 400G/800G.

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Article Content

100G QSFP28 SR4 vs LR4 vs CWDM4: The Architect''s Selection Guide

Master 100G QSFP28 selection. Compare SR4, LR4, and CWDM4 on cost, thermal limits, and fiber physics. Learn to avoid single-lane RX failures and optimize data center ROI with

QSFP28 Transceiver: Complete 100G Connectivity Guide (2026)

QSFP28 transceiver guide covering module types, pricing, compatibility, and deployment. Learn how to choose, deploy, and troubleshoot 100G QSFP28 optics.

How to Choose QSFP28: Complete 100G Selection Guide

This guide provides a systematic selection process to help you choose the right QSFP28 module every time. You will learn how to verify form factor compatibility, match fiber and distance

100G QSFP28 Cable and Transceiver Modules Data Sheet | FS

With these features, this easy to install, hot swappable transceiver is suitable to be used in various applications, such as InfiniBand, data centers, high-performance computing networks, enterprise

100Gbps QSFP28 Optical Modules

100Gbps QSFP28 Optical Modules QSFP-100G-CWDM4 QSFP28-100G-LR4 QSFP28-100G-SR4 QSFP-100G-4WDM-40 QSFP-100G-CWDM4-ISP QSFP-100G-CWDM4-Lite QSFP-100G-ER4

Single Mode SFP Transceiver: Complete Guide Explained

What Is a Single Mode SFP Transceiver? A single mode SFP transceiver is an optical module that uses laser-based transmission over single mode fiber to deliver long-distance, high-speed data

100G QSFP28 Cable and Transceiver Modules Data Sheet | FS

Product overview The FS® 100GBASE Quad Small Form-Factor Pluggable (QSFP28) portfolio offers customers a wide variety of high-density and low-power 100 Gigabit Ethernet connectivity options for

100Gb/s QSFP28 Transceivers

Amphenol''s 100G QSFP28 optical modules include SR4, AOC, AOC break out, CWDM4, LR4, ER4 Lite, ER4 and ZR4 series, which adopt LC or MPO optical ports and are compatible with IEEE802.3bm,

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

A Comprehensive Guide to 100G Optical

Modern data centers rely on high-speed optical links, and 100G optical transceiver modules (especially the QSFP28 form factor) are now foundational for this

Cisco QSFP28 100G ZR Digital Coherent Optics Module

The module is compatible with widely deployed ports of QSFP28 100G and 100GBASE ER CAUI-4 client interfaces. Its maximum operating power range is 5.5W for C-temperature and 6W for industrial

QSFP28 100G Direct Attach Copper Cables

Regional Availability - Global Siemon QSFP28 100G passive Direct Attach Copper Cable assemblies are designed to exceed industry standard performance offering a cost-effective, low latency, low

QSFP28 Passive Direct Attach Copper (DAC) Cable Assemblies

High bandwidth interconnects are required for next generation data centers. Panduit offers QSFP28 Direct Attach Copper Cable Assemblies. These passive cables provide a cost-effective solution for

Cisco QSFP28 100G ZR Digital Coherent Optics Module Data Sheet

Cisco ® QSFP28 100G ZR extends 100GbE coherent links from QSFP28 ports reaching up to 80km over dark fiber and up to 300km over amplified Dense Wave Division Multiplexing

Contact Us

Continue your research online:

Website: https://zithatech.co.za
Technical inquiry: https://zithatech.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved