
ZITHA TECH SPECIALTY CABLES (Pty) Ltd

Relay protection compartment temperature


Ordering information

NO.	1	2	3	4
Model	FS4M1	FS8M2	FS12M3	FS16M4
Product name	Patch Panel	Patch Panel	Patch Panel	Patch Panel
Illustration				
HU	1	2	3	4
Maximum number of cores	96	192	288	384
Product size (excluding modules and adapters)	482.6*208.7*43.7mm	482.6*208.7*88.1mm	482.6*208.7*132.5mm	482.6*208.7*177mm
Standard color code	RAL9005	RAL9005	RAL9005	RAL9005

Overview

NEMA & Underwriter's Laboratories have defined a series of temperature Classes relating to the maximum hot spot temperature permitted. The two most commonly used for relays are Class B = 130oC and Class F = 155oC. The coil winding of a relay is produced with copper. Abstract: Service conditions, electrical ratings, thermal ratings, and testing requirements are defined for relays and relay systems used to protect and control power apparatus. Refer to the type of protection. Different manufacturers specify their data at temperatures which vary typically from 20oC to 25oC depending on the manufacturer – and this means that direct comparison between competing products must be made with care. The most notable changes occur in the pick-up voltage (V PI) and coil resistance (R C).



© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Article Content

Relays in the Hot Box

The temperature probes at this location are installed at the very bottom of the cabinet and the top of the control compartment, where protective relays are typically mounted.

Temperature Considerations for DC Relays | TE

Learn how to determine the steady-state characteristics for any temperature and voltage combination, given the appropriate relay data.

IEEE Std C37.90 -2005, IEEE Standard for Relays and Relay Systems ...

This is the temperature of the still air (i.e., no forced-air movement) measured 30 cm from the front surface of the unit (relay or relay system) enclosure and cover.

Safety Precautions of General Purpose Relays Cautions

When mounting Relays, leave enough space so that heat will not build up, and so

Temperature & its effect on electro mechanical relay operation

The ambient temperature will be affected by the relay itself and any other heat generating components in the enclosure or close by.

Temperature Considerations for DC Relays

The power dissipated within the relay may be broken down into two major components. The first is heat generated in the relay coil when voltage is applied to it. This heat creates a temperature rise (or

102 – Relays and Temperature Variations

Most relay parameters are specified as maximum values over the rated temperature range of the specific relay. Users often find that key parameters differ

Practical handbook for relay protection engineers | EEP

The relay must be able to discriminate (select) between those conditions for which prompt operation is required and those for which no

Basic protection relay knowledge

A fast and selective arc fault mitigation for air-insulated LV & MV switchgear and Relion protection and control relays and sensor technology protect staff and plant facilities for many years.

General Application Guidelines

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Use of the relay in an atmosphere at standard temperature and humidity with minimal amounts of dust, SO2, H2S, or organic gases is recommended. For installation in adverse environments, one of the

What can happen to a relay at temperature outside of its spec?

I wonder what else can happen to a relay when it is used at a higher and lower temperature than specified? The first thing that it will do is cease operating in a manner consistent with the datasheet.

Thermal Relay | How it works, Application & Advantages

A thermal relay is an electromechanical device that detects temperature changes in electrical circuits, protecting equipment from overload

Temperature & its effect on electro mechanical relay operation

Temperature and its effect on Electro Mechanical Relay Operation A much neglected and misunderstood area in the application of electro mechanical relays is the effect of temperature both

What relays perform in extreme temperature conditions?

Semiconductor-based relays face different challenges, with extreme cold potentially increasing switching times and reducing current-carrying capacity. Conversely, excessive heat can trigger thermal

Increased Operating Temperature Range for Reed Relays

Increased Operating Temperature Range for Reed Relays In general, reed relays have an operating temperature range of -20° C to +85 °C and this is adequate for most applications. However, in more

Practical handbook for relay protection engineers | EEP

Relay protection circuitry This handbook covers the code of practice in protection circuitry including standard lead and device numbers, mode of

Impact of Temperature Variation on Relay Performance

Learn how temperature changes affect relay performance, causing random tripping and operational issues. Explore mitigation strategies to ensure reliable relay operation.

Automotive Relay Series

The protection circuit, such as a surge suppressor, should be attached in the area where the surge exceeds the withstand voltage value of the relay. Insulation breakdown and short circuit may occur

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Temperature Monitoring Relay: What you Need to Know

What you need to know about the temperature monitoring relay, how it works, its function, and its application in the protection of electrical equipment.

Protective relay

Electromechanical protective relays at a hydroelectric generating plant. The relays are in round glass cases. The rectangular devices are test connection blocks,

Types of Transformer Protection : Protection

Differential protection relay compares the phase currents on both sides of the transformer to be protected. If the differential current of the phase

Operation, maintenance, and field test procedures for

Operation, maintenance, and field test procedures for protective relays and associated circuits (photo credit: Omicron) The protection circuits

The basics of Built-in Motor Protection for Beginners

Why is motor protection necessary? In order to avoid unexpected breakdowns, costly repairs and subsequent losses due to motor downtime, it is

automotive relay in extreme temperature understanding the

Automotive relays often operate in environments where the temperature can fluctuate significantly. One of the most challenging conditions is exposure to high temperatures, especially in

IEEE Guide for Protective Relay Applications to Power Transformers

Types of transformer failures This guide deals primarily with the application of electrical relays and over-current protective devices to detect the fault current that results from an insulation failure.

General Application Guidelines

General Application Guidelines A relay may be subjected to a variety of ambient conditions during actual use resulting in unexpected failure. Therefore, testing over a practical range under actual operating

What can happen to a relay at temperature outside of its spec?

I wonder what else can happen to a relay when it is used at a higher and lower temperature than specified? The first thing that it will do is cease operating in a manner consistent with the datasheet.

Thermal Relay | How it works, Application & Advantages

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

A thermal relay is an electromechanical device that detects temperature changes in electrical circuits, protecting equipment from overload

Temperature & its effect on electro mechanical relay operation

Temperature and its effect on Electro Mechanical Relay Operation A much neglected and misunderstood area in the application of electro mechanical relays is the effect of temperature both

What relays perform in extreme temperature conditions?

Semiconductor-based relays face different challenges, with extreme cold potentially increasing switching times and reducing current-carrying capacity. Conversely, excessive heat can trigger thermal

Increased Operating Temperature Range for Reed Relays

Increased Operating Temperature Range for Reed Relays In general, reed relays have an operating temperature range of -20° C to +85 °C and this is adequate for most applications. However, in more

Practical handbook for relay protection engineers | EEP

Relay protection circuitry This handbook covers the code of practice in protection circuitry including standard lead and device numbers, mode of

102 – Relays and Temperature Variations

RELAYS AND TEMPERATURE VARIATIONS Most relay parameters are specified as maximum values over the rated temperature range of the specific relay. Users

Over – Temperature Protection Syst

The Motogard Over-Temperature Protection System uses PTC Thermistors to indicate when the equipment has exceeded the set temperature. These Thermistors act as a switch, which when

Relays in the Hot Box

The temperature probes at this location are installed at the very bottom of the cabinet and the top of the control compartment, where protective relays are typically mounted.

Temperature Considerations for DC Relays | TE

Learn how to determine the steady-state characteristics for any temperature and voltage combination, given the appropriate relay data.

IEEE Std C37.90 -2005, IEEE Standard for Relays and Relay Systems ...

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

This is the temperature of the still air (i.e., no forced-air movement) measured 30 cm from the front surface of the unit (relay or relay system) enclosure and cover.

Safety Precautions of General Purpose Relays Cautions

When mounting Relays, leave enough space so that heat will not build up, and so

Temperature & its effect on electro mechanical relay operation

The ambient temperature will be affected by the relay itself and any other heat generating components in the enclosure or close by.

Temperature Considerations for DC Relays

The power dissipated within the relay may be broken down into two major components. The first is heat generated in the relay coil when voltage is applied to it. This heat creates a temperature rise (or

102 – Relays and Temperature Variations

Most relay parameters are specified as maximum values over the rated temperature range of the specific relay. Users often find that key parameters differ

Practical handbook for relay protection engineers | EEP

The relay must be able to discriminate (select) between those conditions for which prompt operation is required and those for which no

Basic protection relay knowledge

A fast and selective arc fault mitigation for air-insulated LV & MV switchgear and Relion protection and control relays and sensor technology protect staff and plant facilities for many years.

General Application Guidelines

Use of the relay in an atmosphere at standard temperature and humidity with minimal amounts of dust, SO2, H2S, or organic gases is recommended. For installation in adverse environments, one of the

Relays in the Hot Box

The temperature probes at this location are installed at the very bottom of the cabinet and the top of the control compartment, where protective relays are typically mounted.

Temperature Considerations for DC Relays | TE

Learn how to determine the steady-state characteristics for any temperature and voltage combination, given the appropriate relay data.

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

IEEE Std C37.90 -2005, IEEE Standard for Relays and Relay Systems ...

This is the temperature of the still air (i.e., no forced-air movement) measured 30 cm from the front surface of the unit (relay or relay system) enclosure and cover.

Safety Precautions of General Purpose Relays Cautions

When mounting Relays, leave enough space so that heat will not build up, and so

Temperature & its effect on electro mechanical relay operation

The ambient temperature will be affected by the relay itself and any other heat generating components in the enclosure or close by.

Temperature Considerations for DC Relays

The power dissipated within the relay may be broken down into two major components. The first is heat generated in the relay coil when voltage is applied to it. This heat creates a temperature rise (or

102 – Relays and Temperature Variations

Most relay parameters are specified as maximum values over the rated temperature range of the specific relay. Users often find that key parameters differ

Practical handbook for relay protection engineers | EEP

The relay must be able to discriminate (select) between those conditions for which prompt operation is required and those for which no

Basic protection relay knowledge

A fast and selective arc fault mitigation for air-insulated LV & MV switchgear and Relion protection and control relays and sensor technology protect staff and plant facilities for many years.

General Application Guidelines

Use of the relay in an atmosphere at standard temperature and humidity with minimal amounts of dust, SO2, H2S, or organic gases is recommended. For installation in adverse environments, one of the

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Contact Us

Continue your research online:

Website: https://zithatech.co.za
Technical inquiry: https://zithatech.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved