# ZITHA TECH SPECIALTY CABLES (Pty) Ltd

# Should fire protection and low-voltage electrical systems be run in the same cable tray




## Overview

California Code of Regulations, Title 8, Section 2586.3. Separation. Power supply and fire alarm circuit conductors are permitted in the same enclosure.

## Key Takeaways

Fire protection and low-voltage electrical systems should generally be segregated in cable trays, but under certain conditions, they can share the same tray with proper separation or shielding.Regulatory and Safety Considerations

Fire alarm circuits and low-voltage systems (data, control, or communication cables) are typically segregated to ensure safety, maintain signal integrity, and comply with codes. According to NEC Article 760.139, power-limited fire alarm circuits are permitted to share a cable tray with communications circuits if they meet specific requirements, such as maintaining separation and using compatible cable types . However, mixing standard power cables with low-voltage or fire alarm circuits is generally prohibited unless physical separation or shielding is provided to prevent electromagnetic interference (EMI) and voltage induction .

Risks of Sharing Cable Trays
• Electromagnetic Interference (EMI): Power cables can induce noise in sensitive low-voltage circuits, affecting data or control signals .

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

• Voltage Induction: High-voltage or power circuits may induce voltages in nearby low-voltage fire alarm or communication cables, potentially causing malfunctions .

• Fire Hazards: Overheating or improper grouping of cables can increase fire risk, especially if fire-resistant cables are not used .

Best Practices for Co-Location

• Physical Separation: Maintain a minimum distance (commonly 6 inches or 150 mm) between fire alarm and low-voltage cables if sharing a tray .

• Shielding: Use shielded low-voltage cables and ensure proper grounding to reduce EMI .

• Dedicated Sections or Dividers: Install metallic or non-combustible dividers within the tray to separate circuits physically .

• Fire-Resistant Cables: Use cables rated for fire survival (e.g., PH30 or PH120) for life safety systems .

• Segregation of Power and Signal Cables: High-voltage power cables should always be routed separately from low-voltage and fire alarm circuits unless strict separation or shielding is applied .

Standards and References

• NEC (National Electrical Code) Article 760.139: Permits certain fire alarm and communication circuits to share trays under defined conditions .

• IEC 60364-5-52: Recommends physical separation or shielding to prevent EMI between power and low-voltage cables .

• BS 5839-1:2025 and BS 7671: Require fire alarm and life safety circuits to remain operational during a fire, emphasizing segregation and fire-resistant cabling .

Conclusion

While it is technically possible for fire protection and low-voltage systems to share a cable tray, it is strongly recommended to segregate them whenever feasible. If sharing is unavoidable, implement physical separation, shielding, and fire-rated cables to ensure compliance, safety, and reliable operation. Prioritizing these measures helps prevent interference, maintain system integrity, and meet regulatory requirements.

*© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved*

## Article Content

California Code of Regulations, Title 8, Section 2586.3. Separation ...

Power supply and fire alarm circuit conductors are permitted in the same enclosure, cable, or raceway only if connected to the same

Do low-voltage power and fire protection cables share the same

While it is technically possible to run power and low-voltage cables in the same tray under strict conditions, segregation or shielding

Fire Alarm & Data Cable Sharing Same Cable Tray

Cable and conductors of two or more power-limited fire alarm circuits, communications circuits, or Class 3 circuits

eCFR :: 29 CFR 1910.308 -

(i) Nonpower-limited fire alarm circuits and Class 1 circuits may occupy the same enclosure, cable, or raceway provided all

Can fire protection low-voltage wiring and intelligent system wiring ...

Sharing the same cable tray or conduit with data cables increases the risk of mechanical damage and impairs fire resistance. Many

Conductors of Different Circuits in Same Cable, Enclosure, or

Class 1 circuits and non-power-limited fire alarm circuits may coexist regardless of their current type, as long as all conductors are

Installation of Emergency and Non-Emergency TC-ER Cables in

This article was written to support the installation of two separate Type TC-ER cables — one supplying emergency loads, and the

Conductors of Different Circuits in the Same Cable, Cable Tray ...

These circuits may coexist with power-supply conductors if they are functionally related, without barriers. However, when combined

National Electrical Code Tips: Article 760, Fire Alarm Systems, Part 6

You can install two or more PLFA circuits, communication circuits, or Class 3 circuits in the same enclosure, cable, cable tray,

Prevent Fire and Electric Hazards When Cable Trays Used

*© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved*

Where cable trays pass through fire-rated partitions, walls, and floors, appropriate fire-stops should be provided to

Technical Guidelines for Cable Tray Installation and

Shortest and Straightest Path: To reduce cable loss and simplify maintenance, cable routes should be as

Low and high voltage in same conduit | Information by Electrical ...

We install 12 and 5 VDC access control system that also use locks powered by 24 VDC all are power limited. I knew

NEC Standards for Cable Trays: Grounding, Fill Capacity

Cable tray systems have become an essential component in the infrastructure of modern commercial buildings, smart

MV and LV cables passing through same enclosure

Is it a violation of NEC to run 5KV and 480Vtray cables through same roof penetration enclosure? Cables will be in

Conductors of Different Circuits in the Same Cable, Cable Tray ...

Class 1 circuits can be installed alongside other circuits in the same cable, tray, enclosure, or raceway, provided they meet specific

Cable and circuit segregation

Instrumentation, signal, and telecommunications cabling should always ideally be separated from power cabling. This

Cables Allowed in NEC Tray Applications

Cable tray is classified by the NEC (NFPA 70 the National Electrical Code) as a support system and not as a raceway. Generally

Low Voltage Wiring Code: All You Need To Know

Low voltage cable (also called structured cabling or network wiring) is designed to carry

Understanding LV segregation, AS/NZS3000

The principle is straightforward: High Voltage (HV) circuit cables should never share an enclosure with cables of Low voltage (LV) or

Cable Tray Questions | Cable Tray Institute

*© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved*

This can be accomplished by a separate cable tray system or by a divider within a cable tray. NEC section 318-5 (e) indicates that

Low voltage and normal power in same raceway

Hello all electricians smarter than myself. Im trying to understand when "low voltage" like an 18/2 or even a Cat6 wire

Can Control and Line Voltage Wires Be Run in the Same Conduit?

When running line voltage and low voltage cables alongside each other, the low voltage cable has the potential to pick

Separation Gap for Primary and Secondary Life Safety Cable Trays

Background UK electrical and fire safety standards do not prescribe a fixed minimum separation distance for roof

Fire Alarm & Data Cable Sharing Same Cable Tray

Cable and conductors of two or more power-limited fire alarm circuits, communications circuits, or Class 3 circuits

2023 National Electrical Code (NEC

The Code is official endorsed by ANSI (American National Standards Institute). The National Fire Protection Association (NFPA)

Conductors of Different Circuits in Same Cable, Enclosure, or

Conductors from different circuits can share the same cable, enclosure, or raceway under specific conditions. Class 1 circuits and

Loading...

Loading... ... Loading...

392.20 Cable and Conductor Installation.

Code Change Summary: A clarification was made regarding separation of conductors in cable trays when conductors operate at

Installation of Emergency and Non-Emergency TC-ER Cables in

Overview: This article was written to support the installation of two separate Type TC-ER cables — one supplying emergency loads,

Annex I

By convention, to avoid any misunderstanding and to simplify the cable tray design and installation, the bending radius for all cable

*© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved*

Technical Guidelines for Cable Tray Installation and

Shortest and Straightest Path: To reduce cable loss and simplify maintenance, cable routes should be as

Low and high voltage in same conduit | Information by Electrical ...

We install 12 and 5 VDC access control system that also use locks powered by 24 VDC all are power limited. I knew

NEC Standards for Cable Trays: Grounding, Fill Capacity

Cable tray systems have become an essential component in the infrastructure of modern commercial buildings, smart

MV and LV cables passing through same enclosure

Is it a violation of NEC to run 5KV and 480Vtray cables through same roof penetration enclosure? Cables will be in

Conductors of Different Circuits in the Same Cable, Cable Tray ...

Class 1 circuits can be installed alongside other circuits in the same cable, tray, enclosure, or raceway, provided they meet specific

Cable and circuit segregation

Instrumentation, signal, and telecommunications cabling should always ideally be separated from power cabling. This

Low Voltage Wiring: Complete Guide (Types, Costs

Low-voltage wiring refers to electrical systems that operate at about ≈ 50 volts or less,

Cable Tray Installation Rules (NEC 392) – Electrical Trader

NEC Article 392 outlines the key rules for installing and maintaining industrial cable tray systems. These systems,

BS 8519

Questions on electrical systems design, electrical installations and BS7671 Wiring Regulations.

Fire Alarm wires mixed with other wires | Information by Electrical ...

Can someone clarify if you can mix fire alarm cables with other cables through bridal rings through open ceilings or

Cables Allowed in NEC Tray Applications

*© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved*

Cable tray is classified by the NEC (NFPA 70 the National Electrical Code) as a support system and not as a raceway. Generally

Low Voltage Wiring Code: All You Need To Know

Low voltage cable (also called structured cabling or network wiring) is designed to carry electrical signals of 50 volts

Understanding LV segregation, AS/NZS3000

The principle is straightforward: High Voltage (HV) circuit cables should never share an enclosure with cables of Low voltage (LV) or

Cable Tray Questions | Cable Tray Institute

This can be accomplished by a separate cable tray system or by a divider within a cable tray. NEC section 318-5 (e) indicates that

California Code of Regulations, Title 8, Section 2586.3. Separation ...

Power supply and fire alarm circuit conductors are permitted in the same enclosure, cable, or raceway only if connected to the same

Do low-voltage power and fire protection cables share the same

While it is technically possible to run power and low-voltage cables in the same tray under strict conditions, segregation or shielding

Fire Alarm & Data Cable Sharing Same Cable Tray

Cable and conductors of two or more power-limited fire alarm circuits, communications circuits, or Class 3 circuits

eCFR :: 29 CFR 1910.308 -

(i) Nonpower-limited fire alarm circuits and Class 1 circuits may occupy the same enclosure, cable, or raceway provided all

Can fire protection low-voltage wiring and intelligent system wiring ...

Sharing the same cable tray or conduit with data cables increases the risk of mechanical damage and impairs fire resistance. Many

Conductors of Different Circuits in Same Cable, Enclosure, or

Class 1 circuits and non-power-limited fire alarm circuits may coexist regardless of their current type, as long as all conductors are

Installation of Emergency and Non-Emergency TC-ER Cables in

*© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved*

This article was written to support the installation of two separate Type TC-ER cables — one supplying emergency loads, and the

Conductors of Different Circuits in the Same Cable, Cable Tray ...

These circuits may coexist with power-supply conductors if they are functionally related, without barriers. However, when combined

National Electrical Code Tips: Article 760, Fire Alarm Systems, Part 6

You can install two or more PLFA circuits, communication circuits, or Class 3 circuits in the same enclosure, cable, cable tray,

Prevent Fire and Electric Hazards When Cable Trays Used

Where cable trays pass through fire-rated partitions, walls, and floors, appropriate fire-stops should be provided to

California Code of Regulations, Title 8, Section 2586.3. Separation ...

Power supply and fire alarm circuit conductors are permitted in the same enclosure, cable, or raceway only if connected to the same

Do low-voltage power and fire protection cables share the same

While it is technically possible to run power and low-voltage cables in the same tray under strict conditions, segregation or shielding

Fire Alarm & Data Cable Sharing Same Cable Tray

Cable and conductors of two or more power-limited fire alarm circuits, communications circuits, or Class 3 circuits

eCFR :: 29 CFR 1910.308 -

(i) Nonpower-limited fire alarm circuits and Class 1 circuits may occupy the same enclosure, cable, or raceway provided all

Can fire protection low-voltage wiring and intelligent system wiring ...

Sharing the same cable tray or conduit with data cables increases the risk of mechanical damage and impairs fire resistance. Many

Conductors of Different Circuits in Same Cable, Enclosure, or

Class 1 circuits and non-power-limited fire alarm circuits may coexist regardless of their current type, as long as all conductors are

Installation of Emergency and Non-Emergency TC-ER Cables in

*© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved*

This article was written to support the installation of two separate Type TC-ER cables — one supplying emergency loads, and the

Conductors of Different Circuits in the Same Cable, Cable Tray ...

These circuits may coexist with power-supply conductors if they are functionally related, without barriers. However, when combined

National Electrical Code Tips: Article 760, Fire Alarm Systems, Part 6

You can install two or more PLFA circuits, communication circuits, or Class 3 circuits in the same enclosure, cable, cable tray,

Prevent Fire and Electric Hazards When Cable Trays Used

Where cable trays pass through fire-rated partitions, walls, and floors, appropriate fire-stops should be provided to

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

## Contact Us

Continue your research online:

Website: https://zithatech.co.za
Technical inquiry: https://zithatech.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

*© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved*